

THE DEPENDENCE OF THE DEFLECTION OF THE CANTILEVER TRUSS ON THE NUMBER OF PANELS OBTAINED IN THE SYSTEM MAPLE

E. V. Domanov¹

National Research University "MPEI"

Russia. Moscow

¹Student, tel.: +7(999)602-98-50; e-mail: domanov312@mail.ru

A symmetrical cantilever-beam trussed grid is loaded on the lower or upper belt. The method of induction with the use of special operators of symbolic mathematics Maple shows the dependence of the deflection of the middle of the span of the truss on the number of panels in the span and on its console parts. To determine the coefficients of the desired formula, recurrence equations are compiled and solved. The graphs of the dependences obtained reveal extreme points that can be used to optimize the stiffness design

Keywords: truss, deflection, induction, analytical solution, Maple, Mohr's integral

ВЫВОД ЗАВИСИМОСТИ ПРОГИБА КОНСОЛЬНОЙ ФЕРМЫ ОТ ЧИСЛА ПАНЕЛЕЙ В СИСТЕМЕ MAPLE

Е. В. Доманов¹

Национальный исследовательский университет "МЭИ"

Россия, г. Москва

¹Студент, тел.: +7(999)602-98-50; e-mail: domanov312@mail.ru

Рассматривается симметричная консольно-балочная ферма с треугольной решеткой, которая загружена по нижнему или верхнему поясу. Методом индукции с привлечением специальных операторов символьной математики Maple выводится зависимость прогиба середины пролета фермы от числа панелей в пролете и на консольных ее частях. Для определения коэффициентов искомой формулы составлены и решены рекуррентные уравнения. Графики полученных зависимостей обнаруживают экстремальные точки, которые могут быть использованы для оптимизации конструкции по жесткости.

Ключевые слова: ферма, прогиб, индукция, аналитическое решение, Maple, интеграл Мора

You can use not only numerical methods to calculate truss. The development of computer systems of symbolic mathematics makes it possible to find formulas for calculating regular-type constructions. The induction method in [1-6] obtained formulas for the dependence of the deflection on the number of panels, the load, and the size of the truss. In [7-10] the induction method derived formulas for the deflection of arches, and in [11-22] for the deflection of lattice trusses. The problems of deformations of spatial constructions are solved in [23-30]. As a rule, in these problems, we conducted induction on one parameter — the number of panels in the span. More complex generalizations can be carried out on two parameters — the number of panels in the span and on the consoles. It is this task that is being solved in this work.

Consider a truss with $2n$ panels in the span and m panels on consoles (Fig. 1). The truss is loaded on the upper belt. For the solution we use the system of computer mathematics Maple [31].




Fig. 1. A truss with $n = 2$, $m = 3$. Load on the upper belt

The program numbers the rods and nodes (Fig. 2). The origin is located at the left end of the truss on the console. Define the coordinates of the nodes.




Fig. 2. Numbering of knots and rods, $n = 1$, $m = 2$

The fragment of the coordinate input program has the form

```
> for i to 2*(n+m)+1 do
>   x[i]:=2*a*(i-1): y[i]:=0:
> od:
> for i to 2*(n+m) do
>   x[i+2*(n+m)+1]:=2*a*(i-1)+a: y[i+2*(n+m)+1]:=h:
> od:
```

A matrix of the system of equations of all nodes in truss equilibrium is formed in the program. Among the unknowns, the three reactions of two supports are included. In the right part of the system write the load value. Vertical forces are written in even lines:

```
> for i from 2*(m+n)+2 to 4*(m+n)+1 do np:=i: Bp[2*np]:=1: od:
```

The solution is obtained in symbolic form. The forces are determined separately for the given load and for the unit force applied at the deflection point. Calculation of the deflection is carried out using the Mohr's integral:

$$\Delta = \sum_{i=1}^{K-3} S_i s_i l / (EF),$$

where: EF — the stiffness of the rods, S_i — the forces in the rods from the load, s_i — the forces in the rods from the action of a single vertical force applied to the middle node of the lower belt, l_i — the length of the rods, $K = 8(m+n) + 2$ — the number of rods, rods, modeling supports, they are taken rigid). The general form of the solution does not change for any numbers n and m (the regularity property of the problem):

$$EF\Delta = P(C_1 a^3 + C_2 b^3) / h^2. \quad (1)$$

First, we induction on the number of panels n for fixed m . For $m = 1$, we solve the problem of deflection of 10 trusses with a consecutive number of panels $n = 1, 2, \dots, 10$. Using the `rgf_findrecur` operator, we get the recursion equation for the coefficient for a^3 , solve it with the `rsolve` operator and find the coefficient $C_1 = (10n^4 - 10n^2) / 3$. Similarly, for $m = 2$, we get

$C_1 = (10n^4 - 46n^2)/3$. For $m = 3$, $C_1 = (10n^4 - 106n^2)/3$ etc. As a result, we obtain a sequence of the number of panels on consoles 10,46,106,190,298,430,586,766,970,1198 . We find the general term of this sequence and write down the general form of the coefficient for a^3

$$C_1 = (10n^4 - (12m^2 - 2)n^2)/3.$$

The other coefficient turns out to be independent of m and is simpler, without using the Maple operators

$$C_2 = n^2.$$

Omitting the computations and the intermediate results, we give the solution of the problem of the deflection of the middle of a truss under the action of a load distributed over the *lower* belt (Fig. 3):

$$C_1 = (10n^4 - (12(m^2 + m) + 1)n^2)/3, \quad C_2 = n^2.$$




Fig. 3. A truss with $n = 2$, $m = 3$. Load on the lower belt

Denote $\Delta' = \Delta_{EF} / (P_s L)$ the dimensionless relative deflection, where $P_s = (2n + 2m + 1)P$ the total load on the truss when loading the upper belt, $L = 2(n + m)a$. The constructed graphs reveal two characteristic regularities. First, the curves have pronounced minima. Secondly, the curves after some value of n change the order and the deflection begins to grow.




Fig. 4. Deflection depending on the number of panels n , $L=100m$, $h=5m$

Similar features reveal the curves of the dependence on the number of panels on the consoles (Fig. 5). At the same time it is noticed that the minimum essentially depends on the number of panels in the span.




Fig. 5. Deflection depending on the number of panels n , $L=100m$, $h=5m$

Surveys of work in this direction applied to planar trusses can be found in [32,33].

References

1. Ponamareva M.A. The displacement of the support trusses with parallel belts under uniform load. *Science Almanac*. 2016, no. 4-3 (18). pp. 257-259.
2. Shipaeva A.S. Calculation of the deflection of the girder beam, loaded on the bottom flange in the system Maple. *Science Almanac*. 2016, no. 5-3 (19). pp. 236-239.
3. Kirsanov M. N. A Precise Solution of the Task of a Bend in a Lattice Girder with a Random Number of Panels. *Russian Journal of Building Construction and Architecture*. 2018, no. 1 (37). pp. 92-99.
4. Smirnova A.A., Rakhmatulina A.R Analytical calculation of the displacement of the truss support. *Science Almanac*. 2017, no. 2-3 (28). pp. 275-278.
5. Kirsanov M.N. Calculation of a three-dimensional bar system permitting instantaneous variability. *Construction mechanics and design of structures*. 2012, no. 3. pp. 48-51.
6. Kirsanov M.N. Inductive analysis of the effect of the installation error on the stiffness and strength of a flat truss. *Engineering and Construction Journal*. 2012, no. 5 (31). pp. 38-42.
7. Kirsanov M.N. Formulas for calculating arch arch deflection . *Construction mechanics and structures*. 2018, no. 1. pp.7-11.
8. Kirsanov M.N. Analysis of arch arch deflection. *Construction mechanics of engineering structures and structures*. 2017, no.5. pp. 50-55.
9. Kirsanov M.N. Analysis of efforts and deformations in a ship frame modeled by a truss. *Vestnik of the State University of the Marine and River Fleet. Admiral S.O. Makarov*. 2017. Vol. 9, no. 3. pp. 560-569.
10. Osadchenko N.V. Analytic solutions of problems on the deflection of flat arches of arch type. *Construction mechanics and constructions*. 2018, no. 1. pp.12-33.
11. Bolotina T. D. The deflection of the flat arch truss with a triangular lattice depending on the number of panels. *Bulletin of Scientific Conferences*. 2016, no. 4-3 (8). pp. 7-8.
12. Kirsanov M.N. To the choice of the lattice of the beam truss . *Construction mechanics of engineering structures and structures*. 2017, no. 3. pp. 23-27.
13. Kirsanov M.N. Analytical calculation of the deflection of the spacer truss with an arbitrary number of panels. *Mechanization of construction*. 2017, no. 3. pp. 26-29.

14. Kirsanov M.N. Formulas for the calculation of deflection and effort in the lattice truss. *Mechanization of construction*. 2017, no.4. pp. 20-23.
15. Kirsanov M.N. Analytical calculation of the deflection of a two-span flat truss. *Mechanization of construction*. 2017, no. 5. pp. 35-38.
16. Kirsanov M.N., Suvorov A.P. Investigation of deformations of a planarly externally statically indeterminate truss. *Vestnik MGSU*. 2017, Vol. 12, no.8 (107). pp. 869-855.
17. Kirsanov M. An inductive method of calculation of the deflection of the truss regular type. *Architecture and Engineering*. 2016, Vol. 1, no. 3. pp. 14-17.
18. Kirsanov M.N. The derivation of the formula for the deflection of a lattice truss having cases of kinematic variability. *Construction Mechanics and Constructions*. 2017, Vol. 1, no. 14. pp. 27-30.
19. Kirsanov M.N. Analytical method for calculating the deflection of a flat truss with a complex grid of a spiral type. *Transport construction*. 2017, no.5. pp. 11-13.
20. Kirsanov M.N. Analytic calculation of a beam truss with a complex lattice. *Construction mechanics and calculation of structures*. 2015, no. 3 (260). pp. 7-12.
21. Kirsanov M. Calculation of the deflection of a flat lattice truss with four supports. *Transport construction*. 2017, no.7. pp. 15-18.
22. Kirsanov M.N. Calculation of the stiffness of the rod lattice. *Bulletin of Machine Building*. 2015, no. 8. pp. 49-51.
23. Kirsanov M.N. Analysis of the buckling of the truss with cross lattice. *Magazine of Civil Engineering*. 2016, no. 4. pp. 52-58. doi: 10.5862 / MCE.64.5.
24. Kirsanov M.N. Static analysis and installation diagram of a flat truss. *Vestnik of the State University of Marine and River Fleet named after Admiral S.O. Makarov*. 2016, no. 5 (39). pp. 61-68.
25. Kirsanov M.N. The deflection of a spatial covering with a periodic structure. *Magazine of Civil Engineering*. 2017, no. 8 (76). pp. 58-66. doi: 10.18720 / MCE.76.6
26. Kirsanov M.N. Bending, torsion and asymptotic analysis of the spatial core console. *Engineering and Construction Journal*. 2014, no. 5 (49). pp. 37-43.
27. Kirsanov M.N. Analysis of the deflection of a truss of a rectangular spatial covering. *Magazine of Civil Engineering*. 2015, no. 1 (53). pp. 32-38.
28. Kirsanov M.N. Features of the analytical calculation of spatial rod systems. *Construction mechanics and calculation of structures*. 2011, no. 5. pp. 11-15.
29. Kirsanov M.N. Analytical calculation of a spatial rod regular structure with a flat face. *Construction mechanics and calculation of structures*. 2015, no. 2 (259). pp. 2-6.
30. Kirsanov M.N. Analytical calculation and optimization of a spatial beam truss. *Bulletin of the Moscow Power Engineering Institute*. 2012, no.5, pp. 5-8.
31. Kirsanov M.N. Problems in theoretical mechanics with solutions in Maple 11. - Moscow: Fizmatlit, 2010. 264 p.
32. Osadchenko NV Calculation of the deflection of a flat, continuous, statically determinate truss with two spans. *Postulate*. 2017, no. 12.
33. Tinkov D.V. Comparative analysis of analytical solutions to the problem of the deflection of truss structures. *Magazine of Civil Engineering*. 2015. №5 (57). pp. 66-73.

Библиографический список

1. Ponamareva M.A. The displacement of the support trusses with parallel belts under uniform load// *Science Almanac*. 2016. №. 4-3(18). С. 257-259.
2. Shipaeva A.S. Calculation of the deflection of girder beam loaded on the bottom flange in the system Maple // *Science Almanac*. 2016. №. 5-3(19). pp. 236-239.

3. Kirsanov M. N. A Precise Solution of the Task of a Bend in a Lattice Girder with a Random Number of Panels. Russian Journal of Building Construction and Architecture. 2018. №. 1(37). P.92-99.
4. Smirnova A.A., Rakhmatulina A.R Analytical calculation of the displacement of the truss support// Science Almanac. 2017. №. 2-3(28). С. 275-278.
5. Кирсанов М.Н. Расчет пространственной стержневой системы, допускающей мгновенную изменяемость // Строительная механика и расчет сооружений. 2012. № 3. С. 48-51.
6. Кирсанов М.Н. Индуктивный анализ влияния погрешности монтажа на жесткость и прочность плоской фермы // Инженерно-строительный журнал. 2012. №5(31). С. 38-42.
7. Кирсанов М.Н. Формулы для расчета прогиба арочной фермы // Строительная механика и конструкции. 2018. №1. С.7-11.
8. Кирсанов М.Н. Анализ прогиба арочной фермы // Строительная механика инженерных конструкций и сооружений. 2017. № 5. С. 50-55.
9. Кирсанов М.Н. Анализ усилий и деформаций в корабельном шпангоуте, моделируемом фермой // Вестник государственного университета морского и речного флота им. адмирала С.О. Макарова. 2017. Т. 9. № 3. С. 560-569.
10. Осадченко Н.В. Аналитические решения задач о прогибе плоских ферм арочного типа// Строительная механика и конструкции. 2018. №. 1. С.12-33.
11. Bolotina T. D. The deflection of the flat arch truss with a triangular lattice depending on the number of panels // Bulletin of Scientific Conferences. 2016. № 4-3(8). С. 7-8.
12. Кирсанов М.Н. К выбору решетки балочной фермы // Строительная механика инженерных конструкций и сооружений. 2017. №.3. С. 23–27.
13. Кирсанов М.Н. Аналитический расчет прогиба распорной фермы с произвольным числом панелей // Механизация строительства. 2017. № 3. С. 26-29.
14. Кирсанов М.Н. Формулы для расчета прогиба и усилий в решетчатой ферме // Механизация строительства. 2017. №4. С. 20-23.
15. Кирсанов М.Н. Аналитический расчет прогиба двухпролетной плоской фермы // Механизация строительства. 2017. № 5. С. 35-38
16. Кирсанов М.Н., Суворов А.П. Исследование деформаций плоской внешне статически неопределимой фермы // Вестник МГСУ. 2017. Т. 12, №.8 (107). С. 869 –875.
17. Kirsanov M. An inductive method of calculation of the deflection of the truss regular type // Architecture and Engineering. 2016. Т. 1. № 3. С. 14-17.
18. Кирсанов М.Н. Вывод формулы для прогиба решётчатой фермы, имеющей случаи кинематической изменяемости // Строительная механика и конструкции. 2017. Т. 1, № 14. С. 27 –30.
19. Кирсанов М.Н. Аналитический метод расчета прогиба плоской фермы со сложной решеткой шпренгельного типа // Транспортное строительство. 2017. №5. С. 11-13.
20. Кирсанов М.Н. Аналитический расчет балочной фермы со сложной решеткой // Строительная механика и расчет сооружений. 2015. № 3 (260). С. 7-12.
21. Кирсанов М.Н. Расчет прогиба плоской решетчатой фермы с четырьмя опорами // Транспортное строительство. 2017. № 7. С. 15-18.
22. Кирсанов М.Н. Расчет жесткости стержневой решетки//Вестник машиностроения. 2015. № 8. С. 49-51.
23. Kirsanov M.N. Analysis of the buckling of spatial truss with cross lattice // Magazine of Civil Engineering. 2016. №. 4. pp. 52–58. doi: 10.5862/MCE.64.5.
24. Кирсанов М.Н. Статический анализ и монтажная схема плоской фермы // Вестник Государственного университета морского и речного флота имени адмирала С.О. Макарова. 2016. № 5 (39). С. 61-68.
25. Кирсанов М.Н. Прогиб пространственного покрытия с периодической структурой // Инженерно-строительный журнал. 2017. № 8(76). С. 58–66. doi: 10.18720/MCE.76.6

26. Кирсанов М.Н. Изгиб, кручение и асимптотический анализ пространственной стержневой консоли // Инженерно-строительный журнал. 2014. № 5 (49). С. 37-43.
27. Кирсанов М.Н. Анализ прогиба фермы прямоугольного пространственного покрытия // Инженерно-строительный журнал. 2015. № 1 (53). С. 32-38.
28. Кирсанов М.Н. Особенности аналитического расчета пространственных стержневых систем // Строительная механика и расчет сооружений. 2011. № 5. С. 11-15.
29. Кирсанов М.Н. Аналитический расчет пространственной стержневой регулярной структуры с плоской гранью // Строительная механика и расчет сооружений. 2015. № 2 (259). С. 2-6.
30. Кирсанов М.Н. Аналитический расчет и оптимизация пространственной балочной фермы // Вестник Московского энергетического института. 2012. № 5. С. 5–8.
31. Кирсанов М.Н. Задачи по теоретической механике с решениями в Maple 11. - М.: Физматлит, 2010. 264 с.
32. Осадченко Н.В. Расчёт прогиба плоской неразрезной статически определимой фермы с двумя пролётами // Постулат. 2017. №12.
33. Тиньков Д.В. Сравнительный анализ аналитических решений задачи о прогибе ферменных конструкций // Инженерно-строительный журнал. 2015. №5(57). С. 66–73.